

AGROLAB LUFA Dr.-Hell-Str. 6, 24107 Kiel

Date 14.07.2022

REPORT

Order Order no: 2231
 Sample no.
 Sample acceptance **05.07.2022**
 Sample taker
 Customer sample description **sample 22:
 Bio Tremella fuciformis Extrakt
 Lotnumber: B-TFE-22041801
 Ident.-Nr.: 100024**
 Packaging **1x alu sachet, 100 g**
 BBD **14.04.2026**

Unit Result Limit value Substance Method

Further sample data

| | | | | | |
|---------------------------|---|-----|--|----|----------------|
| Amount of sample received | g | 112 | | OM | no information |
|---------------------------|---|-----|--|----|----------------|

Trace elements / Heavy metals / Halogenides

| | | | | | |
|--------------|-------|-------|--|----|------------------------|
| Lead (Pb) | mg/kg | <0,10 | | OM | DIN EN 15763 : 2010-04 |
| Cadmium (Cd) | mg/kg | <0,01 | | OM | DIN EN 15763 : 2010-04 |
| Mercury (Hg) | mg/kg | <0,02 | | OM | DIN EN 13806 : 2002-11 |

Radionuclides

| | | | | | |
|--------|-------|-------|--|----|---------------------------------|
| Cs-134 | Bq/kg | <10,0 | | OM | E-gamma-SPEKT-LEBM-01 : 1997-05 |
| Cs-137 | Bq/kg | <10,0 | | OM | E-gamma-SPEKT-LEBM-01 : 1997-05 |

Pesticides Multiresiduemethods

| | | | | | |
|-------------------------------|-------|--------------|--|----|---|
| 2-Phenylphenol | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| 2,4-D (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| 2,4-DB (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| 3-Hydroxy-Carbofuran | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Acetamiprid | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Aldicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Aldicarb-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Aldicarb-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Pyridate (without hydrolysis) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Aldrin | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dieldrin | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum aldrin, dieldrin | mg/kg | n.q. | | OM | calculated |
| Ametryn | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Amidosulfone | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Anthraquinone | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Atrazine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .

Date 14.07.2022

REPORT

Order

Order no: 2231

Sample no.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

| | Unit | Result | Limit value | Substance | Method |
|-------------------------|-------|--------|-------------|-----------|--|
| Azinphos-ethyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Azinphos-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Azoxystrobin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Benalaxyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bendiocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Benfluralin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bensulfuron-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Bentazone | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Bifenox | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bifenthrin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Biphenyl (Diphenyl) | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bitertanol | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Boscalid | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bromacil | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bromfeninfos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bromophos-ethyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bromophos-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bromopropylate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Bromoxynil | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Bupirimate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Buprofezin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cadusafos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Carbophenothion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Carbosulfan | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Carfentrazone-ethyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chinomethionate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorobenzilate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum carbendazim/benomyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Chlordane alpha | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlordane gamma | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlordane oxy | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum Chlordane | mg/kg | n.q. | | OM | calculated |
| Chlorfenson | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorphenvinphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlormephos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

Date 14.07.2022

REPORT

Order

Order no: 2231

Sample no.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

| | Unit | Result | Limit value | Substance | Method |
|------------------------|-------|-------------|-------------|-----------|---|
| Chloroneb | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chloroxuron | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorpropham | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorpyrifos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorpyrifos-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorsulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Chlorthalonil | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorthion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlorthiophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Chlozolate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cinosulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| cis-Nonachlor | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Clethodim | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Sethoxydim | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Clothianidin | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Coumaphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cyanazin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cyanofenphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cyazofamid | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Cyfluthrin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cymoxanil | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Cypermethrin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cyproconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Cyprodinil | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>o,p</i> -DDD | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>o,p</i> -DDE | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>o,p</i> -DDT | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>p,p</i> -DDD | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>p,p</i> -DDE | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>p,p</i> -DDT | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum DDT-isomers | mg/kg | n.q. | | OM | calculated |
| Deltamethrin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Demeton-S-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Desethylatrazine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Desisopropylatrazine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Desmedipham | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Desmetryn | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

Date 14.07.2022

REPORT

Order

Order no: 2231

Sample no.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------------|-------------|-----------|--|
| Diazinon | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dichlobenil | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dichlofenthione | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dichlofluanid | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dichlorprop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Dichlorvos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Diclobutrazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dicloran | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Difenoconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Diflubenzuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Diflufenican | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dimethachloro | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dimethenamide | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dimethoate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dimethomorph | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tolyfluanide | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Diniconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Dioxathion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Diphenylamine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Disulfoton | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Disulfoton-sulfone | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Disulfoton-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Ditalimfos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Diuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Dodin | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Edifenphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Endosulfan alpha | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Endosulfan beta | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Endosulfansulfat | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum endosulfan-alpha, -beta, -sulfat | mg/kg | n.q. | | OM | calculated |
| Endrin | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| EPN | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Ethiofencarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Ethiofencarb-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Ethiofencarb-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Ethion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

Date 14.07.2022

REPORT

Order

Order no: 2231

Sample no.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

| | Unit | Result | Limit value | Substance | Method |
|------------------------|-------|--------------|-------------|-----------|--|
| Ethoprophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Etrimfos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Famoxadone | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Famphur | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenarimole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenchlorphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenhexamid | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenitrothion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenoxaprop-P-ethyle | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Fenpropathrine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenpropimorph | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fenthion | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Fenvalerate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fipronil | mg/kg | <0,002 | | OM | EN 15662 : 2018 (mod.) |
| Flazasulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Florasulam | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Fluazifop-butyle | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Fluazinam | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Flucythrinat | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fludioxonil | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Flufenacet | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Flufenoxuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Flusilazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Flutriafol | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Folpet | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Fonofos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Formothion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Haloxypop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Haloxypop methyl | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Haloxypop-ethoxy-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| HCH-alpha | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| HCH-beta | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| HCH-delta | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Hexachlorobenzene | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| HCH-gamma (Lindane) | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Heptachlor | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Heptachlorepoxide-cis | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

Date 14.07.2022

REPORT

Order

Order no: 2231

Sample no.

| | Unit | Result | Limit value | Substance | Method |
|--|-------|--------------|-------------|-----------|--|
| <i>Heptachlorepoxide-trans</i> | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum heptachlor, heptachlorepoxide | mg/kg | n.q. | | OM | calculated |
| Heptenophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Hexaconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Hexaflumuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Hexazinone | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Imidacloprid | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Iodosulfuron-methyl-sodium | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| loxynil | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Iprodion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Iprovalicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Isodrin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Isofenphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Isoproturon | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Isoxaflutole | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Sum Isoxaflutole | mg/kg | n.q. | | OM | calculated |
| Kresoxim-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| lambda-Cyhalothrine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Leptophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Linuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| <i>Malaoxon</i> | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| <i>Malathion</i> | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum of malathion and malaoxon | mg/kg | n.q. | | OM | calculated |
| MCPA (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| MCPB (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Mecarbate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Mecoprop | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Mefenpyr-diethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Mepanipyrim | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Metalaxyl (Sum of Metalaxyl and Metalaxyl-M) | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Metazachlor | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Metconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Methidathion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Methiocarb | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Methoxychlor | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Methoxyfenozide | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Metobromuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Metolachlor | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Metosulam | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " * " .

Date 14.07.2022

Customer no. 10083246

REPORT

Order **3105584** Order no: 2231

Sample no. **567677**

| | Unit | Result | Limit value | Substance | Method |
|---|-------|--------|-------------|-----------|--|
| Metoxuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Metribuzin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Metsulfurone-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Mevinphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Mirex | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Myclobutanil | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Nicosulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Nitrofen | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Nitrothal-isopropyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Oxadixyle | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Oxamyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Pacloutrazol | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Paraoxon-ethyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Paraoxon-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Parathion-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Parathion-ethyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Penconazol | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pencycuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Pendimethalin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pentachloro-aniline | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Quintozene | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Sum quintozene and pentachloro-aniline | mg/kg | n.q. | | OM | calculated |
| Pentachlorobenzene | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Permethrin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Phenmedipham | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Phorate | mg/kg | <0,01 | | OM | EN 15662 : 2018 (mod.) |
| Phosalone | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Phosmet | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Phosphamidon | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Piperonylbutoxide | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Piperophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pirimicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Pirimiphos-ethyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pirimiphos-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pirimisulfuron-methyle | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Procymidone | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .

Date 14.07.2022

REPORT

Order

Order no: 2231

Sample no.

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .

| | Unit | Result | Limit value | Substance | Method |
|------------------------|-------|----------------------|-------------|-----------|---|
| Profenofos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Prometryn | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propachlor | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propamocarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Propazine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propetamphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propham | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propiconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propoxur | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Propoxycarbazone | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Propyzamide | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Prosulfocarb | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Prosulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Prothiophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pymetrozine | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Pyrazophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pyrethrins | mg/kg | <0,010 ^{x)} | | OM | EN 15662 : 2018 (mod.) |
| Pyridaphenthion | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pyrifenox | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Pyrimethanile | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Quinalphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Quinmerac | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Quizalofop (free acid) | mg/kg | <0,005 (LOD) | | OM | EN 15662 : 2018 (mod.) |
| Resmethrine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Rimsulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Rotenone | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Silthiofam | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Simazin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Spinosad | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Sulcotrione | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Sulfotep | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| tau-Fluvalinate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tebuconazole | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tebufenozide | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Tebufenpyrad | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tecnazene | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Teflubenzuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Tefluthrine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

REPORT

Order

Order no: 2231

Sample no.

| | Unit | Result | Limit value | Substance | Method |
|------------------------|-------|--------|-------------|-----------|---|
| Terbufos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Terbutryne | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Terbutylazine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tetrachlorvinphos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tetradifon | mg/kg | <0,005 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Tetramethrine | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Thiaclopid | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thiamethoxam | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thifensulfurone-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thiodicarb | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thiofanox | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thiofanox-sulfon | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thiofanox-sulfoxide | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Thiometon | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Thiophanat-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Tolclofos-methyl | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| trans-Nonachlor | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Triadimefon | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Triadimenol | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Triallate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Triasulfuron | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Triazophos | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Trichlorfon | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Trichloronate | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Trifluralin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |
| Triflusulfuron-methyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Triforine | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Trinexapac-ethyl | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Vamidotion | mg/kg | <0,010 | | OM | EN 15662 : 2018 (mod.) |
| Vinclozolin | mg/kg | <0,010 | | OM | DIN EN 12393-2 : 2014-03 (mod.) / DIN EN 12393-3 : 2014-01 (mod.) |

x) Single values below the quantification limit or the detection limit were not taken into account.

Explanation: The symbol "<" or n.d. in the result column means, the substance concerned is not quantifiable at the limit of quantification shown opposite.

The sign "<..."(LOD)" or n.d. in column result means, the substance concerned cannot be detected within the limit of detection.

Parameter-specific analytical measurement uncertainties and information regarding the method of calculation will be provided upon request if the reported results are above the parameter-specific limit of quantification.

Explanation: OM = on original matter; DM = on dry matter base

The sampling date is a customer information.

Remark to amount of sample received: Total amount including packaging

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol "x)".

Date

14.07.2022

REPORT

Order

Order no: 2231

Sample no.

Remark to hydrolysis-relevant substances without carrying out the hydrolysis module: The validated limit of quantification is 0,01 mg/kg. All data below this determination limit are to be interpreted as non-quantifiable traces. The actual content including the bound residues can only be determined via an additional hydrolysis step.

Remark to Sum aldrin, dieldrin: Aldrin and dieldrin combined expressed as dieldrin (F).

Remark to Benalaxyl: Benalaxyl including other mixtures of constituent isomers including Benalaxyl-M (sum of isomers).

Remark to Bifenthrin: Sum of isomers (F).

Remark to Bromoxynil: Bromoxynil and its salts, expressed as bromoxynil.

Remark to Sum carbendazim/benomyl: Sum of benomyl and carbendazim expressed as carbendazim (R).

Remark to Sum Chlordane: Sum of cis-Chlordan and trans-Chlordan (F)(R).

Remark to Cyfluthrin: Cyfluthrin including other mixtures of constituent isomers (sum of isomers) (F).

Remark to Cypermethrin: Cypermethrin including other mixtures of constituent isomers (sum of isomers) (F).

Remark to Sum DDT-isomers: Sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT (F).

Remark to Deltamethrin: Deltamethrin (cis-deltamethrin) (F)

Remark to Dimethenamid: Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers).

Remark to Dimethomorph: Sum of isomers.

Remark to Diniconazole: Sum of isomers.

Remark to Sum endosulfan-alpha, -beta, -sulphate: Sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan (F).

Remark to Fenpropimorph: Sum of isomers (F) (R).

Remark to Fenvalerate: Any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate (F) (R).

Remark to Haloxyfop-ethoxy-ethyl: By the multi-method only the free acid of the active ingredient is detected. If contents equal or higher than 0.008 mg/kg are detected, a quantitative analysis of the total acid is performed by hydrolysis

Remark to HCH-alpha: Hexachlorocyclohexane (HCH), alpha-isomer (F).

Remark to HCH-beta: Hexachlorocyclohexane (HCH), beta-isomer (F).

Remark to HCH-gamma (Lindane): Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)) (F).

Remark to Sum heptachlor, heptachlorepoide: Sum of heptachlor and heptachlor epoxide expressed as heptachlor (F).

Remark to Iodosulfuron-methyl-sodium: Sum of idosulfuron-methyl and its salts, expressed as idosulfuron-methyl.

Remark to Ioxynil: Sum of Ioxynil, its salts and its esters, expressed as Ioxynil (F). By the multi-method only the free acid of the active ingredient is detected. If contents equal or higher than 0.008 mg/kg are detected, a quantitative analysis of the total acid is performed by hydrolysis

Remark to Sum Isoxaflutole: Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole)

Remark to Sum malathion and malaaxon: Sum of malathion and malaaxon expressed as malathion.

Remark to Mecoprop: Sum of mecoprop-p and mecoprop expressed as mecoprop.

Remark to Metalaxyl (Sum of metalaxyl and metalaxyl-M): Metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers).

Remark to Metconazol: Sum of isomers (F).

Remark to Metolachlor: Metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers).

Remark to Mevinphos: Sum of E- and Z-isomers.

Remark to Paclobutrazol: Sum of the isomers.

Remark to Penconazol: Penconazol (Sum of isomers) (F)

Remark to Sum quintozone and pentachloro-aniline: Sum of quintozone and pentachloro-aniline expressed as quintozone (F).

Remark to Permethrin: Sum of isomers (F).

Remark to Propamocarb: Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) The sum parameter takes into account the active metabolites, which are detectable safely using the specified method. The actual content may be higher and can only be determined with a single method.

Remark to Propiconazol: Sum of the isomers (F).

Remark to Resmethrin: Resmethrin including other mixtures of constituent isomers (sum of isomers) (F).

Remark to Spinosad: Spinosad, sum of spinosyn A and spinosyn D (F).

Remark to Trinexapac: Trinexapac (Sum of Trinexapac (-acid) and its Salts, expressed as Trinexapac)

Remarks

Marketability:

Evaluation of the sample see annex for report 3105561: "3105561.pdf"

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .

Date 14.07.2022

REPORT

Order Order no: 2231
Sample no.

Start of testing: 05.07.2022
End of testing: 08.07.2022

The results are related only to the samples tested. In cases where the laboratory has not been responsible for sampling, the reported results apply to the samples as received. Duplication of this document or of parts of it requires the authorization from laboratory. In accordance our agreement in writing in the order confirmation, the results in this test report are in a simplified form in the context of DIN EN ISO/IEC 17025:2018, paragraph 7.8.1.3.



AGROLAB GROUP
Your labs. Your service.

AGROLAB LUFA

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .